



NON-TRADITIONAL FEED INGREDIENTS IN DIETS FOR PIGS

Hans H. Stein
Nutritional Sciences; Animal Sciences
University of Illinois


<http://nutrition.ansci.illinois.edu>

Non-traditional feed ingredients for pigs




- Introduction
- Rice co-products
- Bakery meal
- Field peas
- Yeast/single cell protein
- Conclusions

Feed Ingredients




Feed Ingredient Evaluation



Rice co-products




Paddy rice



Hulls



Brown rice




Rice bran



White rice




Composition of full fat rice bran, %




Fanelli et al., 2023

Composition of defatted rice bran, %




Fanelli et al., 2023

SID AA (%), Rice co-products




Casas et al., 2015

Xylanase increases ME in rice bran for pigs




Casas and Stein, 2016

Rice bran contains more P than other plant ingredients, %




Kwon, 2017

STTD P (%) in rice co-products




Casas and Stein, 2015


ADG (kg), weanling pigs, d 15-35 post-weaning



G:F, Weanling pigs, d 15-35 post-weaning




ADG, Grow-finishing pigs, 25 to 125 kg




Casas et al., 2018

G:F, Grow-finish pigs



Other relevant Co-products




Bakery Meal




Bakery meal: Chemical Composition

Total: 46 sources




Liu et al., 2018

Bakery meal, Composition




Liu et al., 2018

High conc. of Na in Bakery meal




Bakery meal has low SID (%) of Lys




Stein et al., 2023a

Bakery meal, ME and NE, Kcal/kg




Stein et al., 2023b


Bakery meal, STTD P, %




Bakery meal for weanling pigs, ADG, g/d



Bakery meal for weanling pigs, gain:Feed




Other recycled ingredients




Field peas in diets for pigs



Digestibility of Starch in Extruded Field Peas




Energy Digestibility in Field Peas




Stein and Bohlke, 2007

SID of AA in Field Peas




Stein and Bohlke, 2007

Particle size and ATTD of TDF, field peas




Ibagon, 2023

Particle size and NE, field peas




Ibagon, 2023

No impact of Field Peas on growth, 25-120 kg




No impact of Field Peas on pork chop palatability



Stein et al., 2006


Other alternative intact ingredients



Yeast in diets for weanling pigs




Yeast, chemical composition, %




Lagos and Stein, 2020

SID AA, Yeast and fish meal, %




Lagos and Stein, 2020

ME in torula yeast and fish meal, %




Lagos and Stein, 2020

STTD of P in torula yeast and fish meal, %




Lagos and Stein, 2020

Growth performance, d 1-14, not changed by yeast




Espinosa et al., 2020


Growth performance, d 1-28, not changed by yeast



Other new protein sources



Consistency of composition: Ca in Soybean meal (%)



Sotak-Peper et al., 2016

Conclusions, Alternative ingredients

Many alternative ingredients available

Important to determine nutritional value

Consistency always a concern

Awareness of minerals and ANF needed

Perspectives

Pigs need nutrients,
Not ingredients

The science of feed
ingredient
evaluation important

Money to be made
with correct use of
ingredients

*Alternative
ingredients
for pigs*



Thank you for your attention



<http://nutrition.anisci.illinois.edu>