



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DAGRI
DEPARTMENT OF
AGRICULTURE, FOOD
ENVIRONMENT AND FORESTRY



Genetic correlations between feed intake and **GHG emissions** measured on young bulls with **production** and reproduction traits measured in Italian Holstein cows.



F. Tiezzi, R. Finocchiaro, L. Benzoni,
J.B.C.H.M. van Kaam, M. Marusi, R. Bozzi, and M. Cassandro

francesco.tiezzi2@unifi.it

Phenotypic information - Bulls.



220 bulls:



- Type traits



- Feed Intake



- CH₄ GreenFeed



Roughage Intake Control system



GreenFeed system

Phenotypic information - Cows.



- Milk yield and components
- Conception rate
 - Predicted CH₄ emissions
(Cassandro, 2018)



The problem.

**The breeding goal traits cannot be measured
on the same animals**


The problem.

**The breeding goal traits cannot be measured
on the same animals**




**The trade-off could be assessed at the population level
in terms of genetic progress achievable**

The estimation.



The estimation.



The traits.

Bulls:


- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions
(predicted)

Estimates of genetic correlation.

Bulls:


- CH₄ emissions
 - CO₂ emissions
 - Feed intake
 - Morpholinear traits
- 0.30**
- 

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.50 – 0.90



Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.40

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.25

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.50

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

~0.00

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.40

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
 - CO₂ emissions
 - **Feed intake**
 - Morpholinear traits
- 0.40**

Cows:

- Milk Yield
- Fat Yield
- **Protein Yield**
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

-0.30

Cows:

- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Estimates of genetic correlation.

Bulls:

- CH₄ emissions
- CO₂ emissions
- Feed intake
- Morpholinear traits

0.30

Cows:


- Milk Yield
- Fat Yield
- Protein Yield
- Conception rate
- CH₄ emissions (predicted)

Selection response.


Scenario 1:

- **CH₄ emissions** measured on bulls
- **Fat Yield** measured on cows

Emphasis on Fat Yield - cows




Emphasis on CH₄ - bulls



Emphasis on bulls' CH₄

Scenario 1



Emphasis on bulls' CH₄

Selection response.

Scenario 1:


- CH_4 emissions measured on bulls
- Fat Yield measured on cows

Scenario 2:

- CH_4 emissions measured on bulls
- Fat Yield measured on cows
- CH_4 emissions predicted for cows


Varying emphasis on CH₄ emissions predicted on cows

Scenario 2 - Fat Yield response




Varying emphasis on CH₄ emissions predicted on cows

Scenario 2 - Fat Yield response




Scenario 2 - CH₄ emissions response




Varying emphasis on CH₄ emissions predicted on cows

Scenario 2 - Fat Yield response




Scenario 2 - CH₄ emissions response






Pitfalls and limitations



Pitfalls and limitations

- This is too simple.



Pitfalls and limitations

- This is too simple.
- We didn't consider other relevant traits.

Pitfalls and limitations

- This is too simple.
- We didn't consider other relevant traits.
- We didn't consider the accuracy of the index.

Pitfalls and limitations

- This is too simple.
- We didn't consider other relevant traits.
- We didn't consider the accuracy of the index.
- We didn't consider measured CH₄ on cows.

Take home message: CH₄ measured on cows is needed



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DAGRI

DEPARTMENT OF AGRICULTURE
FOOD, ENVIRONMENT AND FORESTRY



UNIVERSITÀ
DEGLI STUDI
DI MILANO



ALMA MATER STUDIORUM
UNIVERSITÀ DI BOLOGNA

Appreciate your attention!





Appreciate your attention!

Session 30

J. Layton

-> A holistic approach for monitoring the environmental sustainability of the Italian Holstein cattle population

Session 51

R. Finocchiaro

-> The evolution of dairy cattle breeding objectives



```
# Literature formula used for PFE and CH4 phenotypes development approach
FCM=milk*(0.4 + 0.15*fp); # /*latte corretto al 4% grasso*/
ECM=(milk*(((0.383*fp)+(0.242*pp)+0.7832)/3.140))); # /*Sjaunja et al.1990- formula con coeff. per lattosio*/
# /*predicted dry matter intake*/
pBWM=PBWDIM**0.75; # /*metabolic weight*/
pDMI=(0.372*(FCM) + 0.0968*pBWM); # /* predicted dry matter intake */
pFE_ECM=ECM/pDMI;
ch4_g_d=39.35+15.055*pdmi; # /*cassandro presentazione 2018*/
# /*Predicted methane emission*/
CH4=3.23 + (0.809*pDMI); # /*stima produzione di ch4*/ Ellis et al. 2017
ch4d=CH4/ECM; # /*Methane intensity*/ - ANAFIBJ PHENOTYPE AND BREEDING VALUIE
*ch4_g_d=39.35+15.055*pdmi; # /*cassandro presentazione 2018*/
```



$$\text{FCM} = \text{milk} * (0.4 + 0.15 * \text{fp})$$

$$\text{pBWM} = \text{PBWDIM} ** 0.75$$

$$\text{pDMI} = (0.372 * (\text{FCM}) + 0.0968 * \text{pBWM})$$


$$\text{ch4_g_d} = 39.35 + 15.055 * \text{pdmi}$$

Selection response.


$$SR_p = \frac{\mathbf{b}^T \mathbf{G}_{11}}{\sqrt{\mathbf{b}^T \mathbf{G}_{12} \mathbf{b}}}$$

$$\mathbf{b} = \mathbf{G}_{12}^{-1} \mathbf{G}_{11} \mathbf{v}$$

Selection response.




Scenario 1




Emphasis on bulls' CH₄


Scenario 1



Scenario 1



Scenario 1



Scenario 2

